

## bogie.vac 20-19



**bogie.vac**  
mit Harzfalle RT19

### Standardausstattung

Becker Vakuumpumpe	Gestell „bogie“ mit 4 Lenkrollen
Harzfalle Vacmobile RT19	4 Schlauchanschlüsse 10 mm Ø
Harzfalleneinsatz aus Karton	Schauglas im Deckel
Vakuumregler und -anzeige am Behälter	

### Optionen

Bis zu 8 Schlauchanschlüsse	10, 13, 16 oder 19 mm Ø
-----------------------------	-------------------------

bogie.vac, das mobile Vakuumsystem für alle Anwendungen, wie Vakuuminfusion, RTM oder auch RTM light. Die zuverlässige Becker Vakuumpumpe ist direkt mit der Vacmobiles Harzfalle RT 19 verbunden und ermöglicht bis zu 8 Anschlüsse. Ein Schauglas ermöglicht dabei den schnellen Blick in die Harzfalle. Der Wechsel der Einsätze geschieht blitzschnell und werkzeuglos. Das Vakuum wird mit einem Dreh an der Harzfalle eingestellt. Ventil und Anzeige sind am Behälter befestigt und können bei abgenommenem Deckel nicht beschädigt werden.

Durchdacht, einfach, zuverlässig und sofort einsatzbereit.

Einfach Wolfangel...

<b>bogie.vac</b>	<b>20-19</b>	
<b>Stromversorgung</b>	230 V	
<b>Vakuumpumpe</b>	20 m³/h	
<b>Vakuumlevel</b>	20 – 99 %	max. 10 mbar
<b>Einsatz Harzfalle</b>	12 l	
<b>Anschlüsse Harzfalle</b>	max. 8	

Technische Änderungen vorbehalten



**Vacmobiles RT19**  
Harzfalle 12 l



**Vacmobiles RT19**  
Deckel mit 8 Schlauchanschlüssen 10 mm Ø (Option)



**Becker Vakuumpumpe**  
20 m³/h

## bogie.vac 20-19



**bogie.vac**  
with resin trap RT19

### Standard

Becker Vacuum pump	Cart "bogie" with 4 steering roller
Resin trap Vacmobile RT 19	4 hose connections 10 mm Ø
Cardboard resin trap insert	View port
Vacuum regulation and gauge mounted at the trap	

### Options

Up to 8 lid connections	10, 13, 16 oder 19 mm Ø
-------------------------	-------------------------

The mobile vacuum system for many applications such as vacuum infusion, RTM or RTM light. A very reliable Becker vacuum pump is directly connected to a Vacmobile resin trap RT 19 and allows up to 8 hose connections. An integrated viewport ensures a view into the resin trap. The change of cardboard inserts is fast and without tools. The vacuum regulation and the gauge are mounted to the side and remain at place when removing the lid. This reduces the risk of damage.

Well thought out, simple, reliable and ready to use. Simply Wolfangel...

<b>bogie.vac</b>	<b>20-19</b>	
<b>Power supply</b>	230 V	
<b>Vacuum pump</b>	20 m³/h	
<b>Vacuum level</b>	20 – 99%	Max. 10 mbar
<b>Resin trap insert</b>	12 l	
<b>Lid connections</b>	Max. 8	

Subject to technical modifications



**Vacmobiles RT 19**  
resin trap 12 l



**Vacmobiles RT 19**  
Lid with 8 hose connections 10 mm Ø (option)



**Becker Vakuumpumpe**  
20 m³/h